



SOLUTION FOR CUTTING CONCRETE BLOCKS OUR MISSION towards
OUR MISSION efforts towards
efforts towards
efforts towards
efforts towards
efforts
efforts
towards
efforts
efforts
towards
efforts
efforts
towards
efforts
efforts
towards
efforts
efforts
towards
efforts
efforts
towards
efforts
effort
efforts
efforts
efforts
efforts
efforts
efforts
efforts
efforts

BS 207

Compact and easily manageable brick saw for saw blades \emptyset 750 / 700 / 650 mm and cutting depth up to 295 mm

- rugged welded frame construction
- extremly heavy duty hot-dip galvanised cutting table
- powder coated components
- cutting table with recirculating ball bearing guide and precision spindle
- Belt driven by a rotomotive electric motor (132M)
- Diamond segmented circular saw blade TR7
- Belt Tightening mechanism
 Flexible nozzle for coolent supply.

TECHNICAL SPECIFICATIONS

Ø saw blade	mm	600/650
bore	mm	50
max.cutting depth	mm	150/210
max.cutting length	mm	450
table size	mm	625×440
motor	Std	3.0 kw,5Hp
length	mm	1400
width	mm	720
height / transport height	mm	1360
weight	kg	100















A DIVISION OF INSIGHT GROUP

#2, Ground Floor, S.B Complex, M.S.R, Main Road, Mathikere, Bengaluru-560 054